

### **SARTOMER®**

### 1. PRODUCT AND COMPANY IDENTIFICATION

### Company

Arkema Inc. 900 First Avenue

King of Prussia, Pennsylvania 19406

Sartomer

Customer Service Telephone Number: (800) SARTOMER

(Monday through Friday, 8:00 AM to 5:00 PM EST)

**Emergency Information** 

**Transportation:** CHEMTREC: (800) 424-9300

(24 hrs., 7 days a week)

Medical: Rocky Mountain Poison Center: (866) 767-5089

(24 hrs., 7 days a week)

**Product Information** 

Product name: SAR-GEL® Blue Synonyms: Water Finding Paste

Molecular formula: Mixture Chemical family: Mixture

Product use: Water detection in hydrocarbons

### **SECTION 2: HAZARDS IDENTIFICATION**

### **Emergency Overview**

Color: orange
Physical state: semi-solid
Form: paste
Odor: sweet

### \*Classification of the substance or mixture:

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200) Serious eye damage, Category 1, H318

\*For the full text of the H-Statements mentioned in this Section, see Section 16.



**SARTOMER®** 

### **GHS-Labelling**

Hazard pictograms:



Signal word: Danger

# **Hazard statements:**

H318 : Causes serious eye damage.

### **Precautionary statements:**

### Prevention:

P280 : Wear eye protection and face protection.

### Response:

P305 + P351 + P338 : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 : Immediately call a POISON CENTER or doctor.

### Other:

Handle in accordance with good industrial hygiene and safety practice. Substance or mixture may contain low levels of residual formaldehyde.

### **SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**





Chemical name	CAS-No.	Wt/Wt	GHS Classification**
Poly[oxy(methyl-1,2-ethanediyl)], α-hydro-ω-hydroxy-,	25322-69-4	>= 30 - < 60 %	Not classified
Poly(oxy-1,2-ethanediyl), .alpha hydroomegahydroxy-	25322-68-3	>= 30 - < 60 %	Not classified
Silica, amorphous, fumed, crystfree	112945-52-5	>= 5 - < 10 %	Not classified
Calcium oxide (CaO)	1305-78-8	>= 5 - < 10 %	H315, H318, H335
Formaldehyde	50-00-0	< 10 PPM	H301, H311, H330, H314, H317, H318, H335, H341, H350

<sup>\*\*</sup>For the full text of the H-Statements mentioned in this Section, see Section 16.

# **SECTION 4: FIRST AID MEASURES**

### 4.1. Description of necessary first-aid measures:

### Inhalation:

If inhaled, remove victim to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical attention.

#### Skin:

In case of contact, immediately flush skin with plenty of water. Remove contaminated clothing and shoes. Wash clothing before reuse. Thoroughly clean shoes before reuse.

#### Eyes:

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Get medical attention immediately.

### Ingestion:

If swallowed, DO NOT induce vomiting. Get medical attention immediately. If victim is fully conscious, give a cupful of water. Never give anything by mouth to an unconscious person.



**SARTOMER®** 

### 4.2. Most important symptoms/effects, acute and delayed:

For most important symptoms and effects (acute and delayed), see Section 2 (Hazard Statements and Supplemental Information if applicable) and Section 11 (Toxicology Information) of this SDS.

### 4.3. Indication of any immediate medical attention and special treatment needed:

Unless otherwise noted in Notes to Physician, no specific treatment noted; treat symptomatically.

### **SECTION 5: FIREFIGHTING MEASURES**

### Extinguishing media (suitable):

Water spray, Carbon dioxide (CO2), Foam, Dry chemical

### Protective equipment:

Fire fighters and others who may be exposed to products of combustion should wear full fire fighting turn out gear (full Bunker Gear) and self-contained breathing apparatus (pressure demand / NIOSH approved or equivalent).

### Further firefighting advice:

Fire fighting equipment should be thoroughly decontaminated after use.

#### Fire and explosion hazards:

When burned, the following hazardous products of combustion can occur:
Carbon oxides
nitrogen oxides
Alcohols
Aldehydes
Carboxylic acid
Ethers
Hazardous organic compounds

### 6. ACCIDENTAL RELEASE MEASURES

### Personal precautions, Emergency procedures, Methods and materials for containment/clean-up:

Prevent further leakage or spillage if you can do so without risk. Evacuate area of all unnecessary personnel. Ventilate the area. Avoid generation of vapors. Contain and collect spillage with non-combustible absorbent material such as clean sand, earth, diatomaceous earth or non-acidic clay and place into suitable properly labeled containers for prompt disposal. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits.

### **Protective equipment:**

Appropriate personal protective equipment is set forth in Section 8.



**SARTOMER®** 

### **SECTION 7: HANDLING AND STORAGE**

### **Handling**

### General information on handling:

Do not taste or swallow.

Do not get in eyes, on skin, or on clothing.

Do not breathe vapor or mist.

Keep container tightly closed.

Use only with adequate ventilation.

Wash thoroughly after handling.

Observe all labeled safeguards until container is cleaned, reconditioned or destroyed.

Emptied container retains product residue.

### **Storage**

### General information on storage conditions:

Keep in a dry, cool place. Store in closed containers, in a secure area to prevent container damage and subsequent spillage.

### Storage stability - Remarks:

The typical shelf life is 3 years from the date of purchase.

### Storage incompatibility - General:

Store separate from: Strong acids Strong alkalies Strong oxidizing agents

phosphorous compounds

### **SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION**

### Airborne Exposure Guidelines:

### Poly[oxy(methyl-1,2-ethanediyl)], $\alpha$ -hydro- $\omega$ -hydroxy-, (25322-69-4)

US. OARS. WEELs Workplace Environmental Exposure Level Guide, as amended

Form: Aerosol

Time weighted average 10 mg/m3

Form: Aerosol

Remarks: Listed



### **SARTOMER®**

### Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy- (25322-68-3)

US. OARS. WEELs Workplace Environmental Exposure Level Guide, as amended

Form: Aerosol

Time weighted average 10 mg/m3

Form: Aerosol

Remarks: Listed

Silica, amorphous, fumed, cryst.-free (112945-52-5)

US. OSHA Table Z-3 (29 CFR 1910.1000)

Time weighted average 20millions of particles per cubic foot of air

US. OSHA Table Z-3 (29 CFR 1910.1000)

Time weighted average 0.8 mg/m3

**Remarks:** The exposure limit is calculated from the

equation, 80/(%SiO2), using a value of 100% SiO2. Lower values of % SiO2 will give higher

exposure limits.

Calcium oxide (CaO) (1305-78-8)

US. ACGIH Threshold Limit Values

Time weighted average 2 mg/m3

US. OSHA Table Z-1 Limits for Air Contaminants (29 CFR 1910.1000)

PEL: 5 mg/m3

Formaldehyde (50-00-0)

US. ACGIH Threshold Limit Values

Ceiling Limit Value 0.3 ppm

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Reference:

Remarks: 29 CFR 1910.1048

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)



### SAR-GEL® Blue

SARTOMER®

OSHA Action level: 0.5 ppm

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Time weighted average 0.75 ppm

US. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1050)

Short Term Exposure Limit (STEL): 2 ppm

Only those components with exposure limits are printed in this section. Limits with skin contact designation above have skin contact effect. Air sampling alone is insufficient to accurately quantitate exposure. Measures to prevent significant cutaneous absorption may be required. Limits with a sensitizer designation above mean that exposure to this material may cause allergic reactions.

### **Engineering controls:**

Investigate engineering techniques to reduce exposures below airborne exposure limits or to otherwise reduce exposures. Provide ventilation if necessary to minimize exposures or to control exposure levels to below airborne exposure limits (if applicable see above). If practical, use local mechanical exhaust ventilation at sources of air contamination such as open process equipment.

### Respiratory protection:

Do not breathe vapor or mist. Where airborne exposure is likely or airborne exposure limits are exceeded (if applicable, see above), use NIOSH approved respiratory protection equipment appropriate to the material and/or its components. Full facepiece equipment is recommended and, if used, replaces need for face shield and/or chemical goggles. Consult respirator manufacturer to determine appropriate type equipment for a given application. Observe respirator use limitations specified by NIOSH or the manufacturer. For emergency and other conditions where there may be a potential for significant exposure or where exposure limit may be significantly exceeded, use an approved full face positive-pressure, self-contained breathing apparatus or positive-pressure airline with auxiliary self-contained air supply. Respiratory protection programs must comply with 29 CFR § 1910.134.

### Skin protection:

Wear appropriate chemical resistant protective clothing and chemical resistant gloves to prevent skin contact. Consult glove manufacturer to determine appropriate type glove material for given application. Avoid natural rubber gloves. Rinse immediately if skin is contaminated. Wash contaminated clothing and clean protective equipment before reuse. Provide a safety shower at any location where skin contact can occur. Wash



# **SAR-GEL® Blue**

**SARTOMER®** 

thoroughly after handling.

### Eye protection:

Where there is potential for eye contact, wear a face shield, chemical goggles, and have eye flushing equipment immediately available.

### **SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

Color: orange

Physical state: semi-solid

Form: paste

Odor: sweet

Odor threshold: No data available.

Flash point No data available

**Auto-ignition** 

temperature:

No data available.

Lower flammable limit

(LFL):

No data available

Upper flammable limit

(UFL):

No data available

**pH:** 2.6 - 8

**Density:** No data available.

**Specific Gravity (Relative** 

density):

No data available

Vapor pressure: No data available.

Vapor density: No data available.

**Boiling point/boiling** 

range:

No data available.

Melting point/range: No data available.

Freezing point: No data available.

**Evaporation rate:** No data available.

Solubility in water: Slightly soluble



# **SAR-GEL® Blue**

**SARTOMER®** 

Viscosity, dynamic: No data available.

Oil/water partition

coefficient:

No data available.

Thermal decomposition: No data available.

Flammability: See GHS Classification in Section 2 if applicable

### **SECTION 10: STABILITY AND REACTIVITY**

### Stability:

This material is chemically stable under normal and anticipated storage, handling and processing conditions.

#### Hazardous reactions:

None under normal conditions of use.

### Materials to avoid:

phosphorous compounds Strong acids Strong alkalies Strong oxidizing agents

### Conditions / hazards to avoid:

Store away from moisture and heat to maintain the technical properties of the product.

### Hazardous decomposition products:

Thermal decomposition giving flammable and toxic products:

Carbon oxides Aldehydes ethers Alcohols

Nitrogen oxides (NOx)

Carboxylic acids

Hazardous organic compounds

### **SECTION 11: TOXICOLOGICAL INFORMATION**

Data on this material and/or its components are summarized below.

### Data for Poly[oxy(methyl-1,2-ethanediyl)], α-hydro-ω-hydroxy-, (25322-69-4)

### **Acute toxicity**

Oral:

Practically nontoxic. (rat) LD50 > 5,000 mg/kg.

Dermal:

No deaths occurred. (rabbit) LD0 > 3,000 mg/kg.

Product code: FP20936-P Version 1.4 Issued on: 05/26/2023 Page: 9 / 18



**SARTOMER®** 

#### Inhalation:

No deaths occurred. (rat) 1 h LC0 > 0.17 mg/l. (vapor)

### **Skin Irritation:**

Practically non-irritating. (rabbit)

### Eye Irritation:

Not irritating. (rabbit)

### Skin Sensitization:

Not a sensitizer. LLNA: Local Lymph Node Assay. (mouse) No skin allergy was observed.

Not a sensitizer. Buehler method. (guinea pig) No skin allergy was observed.

#### Repeated dose toxicity

Repeated oral administration to rat / No adverse systemic effects reported.

### **Genotoxicity**

#### Assessment in Vitro:

No genetic changes were observed in laboratory tests using: bacteria, animal cells, human cells

### **Developmental toxicity**

Reproductive/Developmental Effects Screening Assay. Oral (rat) / No toxicity to reproduction.

### Reproductive effects

Reproductive/Developmental Effects Screening Assay. Oral (rat) / No toxicity to reproduction.

### Other information

The information presented is from representative materials in this chemical class. The results may vary depending on the test substance.

### Data for Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy- (25322-68-3)

### **Acute toxicity**

### Oral:

No deaths occurred. (rat) LD0 > 2,000 mg/kg.

#### Dermal:

No deaths occurred. (rat) LD0 > 2,000 mg/kg.

### Inhalation:

No deaths occurred. (rat, mouse) 6 h LC0 = 2.5 mg/l.

### Skin Irritation:

Practically non-irritating. (rabbit) (4 h) (occluded exposure)

### Eye Irritation:

Not irritating. (rabbit)



**SARTOMER®** 

#### Skin Sensitization:

Not a sensitizer. Guinea pig maximization test. No skin allergy was observed.

### Repeated dose toxicity

Subchronic inhalation administration to rat / No adverse systemic effects reported.

Subchronic oral administration to rat and dog / No adverse systemic effects reported.

### Genotoxicity

### **Assessment in Vitro:**

No genetic changes were observed in laboratory tests using: bacteria, animal cells

#### **Developmental toxicity**

Exposure during pregnancy. Oral (rat) / No birth defects were observed. Exposure during pregnancy. Dermal (rabbit) / No birth defects were observed.

### **Reproductive effects**

Multiple generation reproduction test. Drinking water (rat) / No toxicity to reproduction.

### **Human experience**

### Skin contact:

Skin: rash. (subjects with dermatitis or eczema)

Skin: No skin allergy was observed. (studied using human volunteers)

### Data for Silica, amorphous, fumed, cryst.-free (112945-52-5)

### **Acute toxicity**

#### Oral:

No deaths occurred. (rat) LD50 > 5,000 mg/kg.

### Dermal:

Practically nontoxic. (rat) LD50 > 5,000 mg/kg.

#### Inhalation:

No deaths occurred. (rat) 4 h LC0 > 2.08 mg/l. (dust/mist)

### **Skin Irritation:**

Not irritating. (rat) (4 h)

### Eye Irritation:

Causes mild eye irritation. (rabbit)

### Repeated dose toxicity

Repeated dietary administration to rat / No adverse systemic effects reported.

Repeated inhalation administration to rat / affected organ(s): lung, lymph node / signs: inflammation / No adverse systemic effects reported. (Local effects, reversible)



### **SARTOMER®**

### Carcinogenicity

Chronic dietary administration to rat and mouse / affected organ(s): lung / No increase in tumor incidence was reported.

Classified by the International Agency for Research on Cancer as: Group 3: Unclassifiable as to carcinogenicity in humans.

### Genotoxicity

### **Assessment in Vitro:**

No genetic changes were observed in laboratory tests using: bacteria, animal cells, human cells, yeast

### Genotoxicity

#### Assessment in Vivo:

No genetic changes were observed in a laboratory test using: rats

### **Developmental toxicity**

Exposure during pregnancy. Oral (rat, rabbit, hamster, mouse) / No birth defects were observed.

### Other information

Information given is based on data obtained from similar substances.

### Human experience

#### Inhalation:

Respiratory system: No increase in tumor incidence was reported. No significant impairment of lung function. (based on reports of occupational exposure to workers)

### Data for Calcium oxide (CaO) (1305-78-8)

### Acute toxicity

### Oral:

No deaths occurred. (rat) LD0 > 2,000 mg/kg.

#### Dermal:

No deaths occurred. (rabbit) LD0 > 2,500 mg/kg. (data for a similar material)

### Inhalation:

Practically nontoxic. (rat) 4 h LC50 > 6.04 mg/l. (dust/mist)

### Specific target organ toxicity - single exposure:

May cause respiratory irritation.

#### Skin Irritation:

Causes skin irritation. (rabbit)

### Eye Irritation:

Causes serious eye damage. (rabbit)

### Skin Sensitization:

Not a sensitizer. LLNA: Local Lymph Node Assay. (mouse) No skin allergy was observed. (data for a



**SARTOMER®** 

similar material)

#### Repeated dose toxicity

Repeated inhalation administration to rat / No adverse systemic effects reported.

Repeated oral administration to rat / No adverse systemic effects reported. (data for a similar material)

### Carcinogenicity

Chronic oral administration to rat / No increase in tumor incidence was reported. (data for a similar material)

### Genotoxicity

### **Assessment in Vitro:**

No genetic changes were observed in laboratory tests using: bacteria

No genetic changes were observed in a laboratory test using: animal cells, (data for a similar material)

### **Developmental toxicity**

Exposure during pregnancy. Oral (rat and mouse) / No birth defects were observed.

### Reproductive effects

Reproductive/Developmental Effects Screening Assay. Oral (rat) / No toxicity to reproduction. / (data for a similar material)

### **Human experience**

### Inhalation:

Upper respiratory tract: Discomfort, coughing, irritation, perforation of the nasal septum. (extent of injury depends on severity of exposure)

### Human experience

### Skin contact:

Irritant but not a sensitizer...

# Human experience

### Eye contact:

Severe irritation.

### **SECTION 12: ECOLOGICAL INFORMATION**

### **Chemical Fate and Pathway**

Data on this material and/or its components are summarized below.

Data for Poly[oxy(methyl-1,2-ethanediyl)],  $\alpha$ -hydro- $\omega$ -hydroxy-, (25322-69-4)

### **Biodegradation:**

Readily biodegradable. (28 d) biodegradation 86.6 %

### **Octanol Water Partition Coefficient:**

log Pow: = 0.3 - 0.9, at 73 °F (23 °C)



**SARTOMER®** 

### Data for Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy- (25322-68-3)

### **Biodegradation:**

Readily biodegradable. (28 d) biodegradation 74.9 %

### **Octanol Water Partition Coefficient:**

log Pow: -0.698, at 86 °F (30 °C) pH = 6.44

### **Ecotoxicology**

Data on this material and/or its components are summarized below.

### Data for Poly[oxy(methyl-1,2-ethanediyl)], α-hydro-ω-hydroxy-, (25322-69-4)

#### Aquatic toxicity data:

Practically nontoxic. Danio rerio (zebra fish) 96 h LC50 > 100 mg/l

#### Aquatic invertebrates:

Practically nontoxic. Daphnia magna (Water flea) 48 h EC50 = 106 mg/l

#### Algae

Practically nontoxic. Desmodesmus subspicatus (green algae) 72 h EC50 > 100 mg/l

### Microorganisms:

Respiration inhibition / Activated sludge 3 h EC50 > 1,000 mg/l

### Chronic toxicity to aquatic invertebrates:

Practically nontoxic. Reproduction Test / Daphnia magna (Water flea) 21 d NOEC > 10 mg/l (data for a similar material)

### Chronic toxicity to aquatic plants:

Practically nontoxic. Desmodesmus subspicatus (green algae) 72 h NOEC = 100 mg/l

### Data for Poly(oxy-1,2-ethanediyl), .alpha.-hydro-.omega.-hydroxy- (25322-68-3)

### Aquatic toxicity data:

Practically nontoxic. Poecilia reticulata (guppy) 96 h LC50 > 100 mg/l

### Aquatic invertebrates:

Practically nontoxic. Daphnia magna (Water flea) 48 h EC50 > 100 mg/l

### Data for Silica, amorphous, fumed, cryst.-free (112945-52-5)

### Aquatic toxicity data:

No effect up to the limit of solubility. Brachydanio rerio (zebrafish) 96 h LL50 > 10,000 mg/l (Nominal concentration)

### Aquatic invertebrates:

No effect up to the limit of solubility. Daphnia (water flea) 24 h EL50 > 10,000 mg/l (Nominal concentration)

# Data for Calcium oxide (CaO) (1305-78-8)



**SARTOMER®** 

### Aquatic toxicity data:

Harmful. Oncorhynchus mykiss (rainbow trout) 96 h LC50 = 50.6 mg/l (Nominal concentration)

### Aquatic invertebrates:

Harmful. Daphnia magna (Water flea) 48 h EC50 = 49.1 mg/l

#### Algae

Practically nontoxic. Pseudokirchneriella subcapitata (green algae) 72 h EC50 = 184 mg/l (Nominal concentration)

### Microorganisms:

Respiration inhibition / Activated sludge 3 h EC50 = 300.4 mg/l

### Chronic toxicity to aquatic plants:

Practically nontoxic. Pseudokirchneriella subcapitata (green algae) 72 h NOEC = 48 mg/l (Nominal concentration)

### **SECTION 13: DISPOSAL CONSIDERATIONS**

### Waste disposal:

Disposal via incineration is recommended. Dispose of in accordance with federal, state and local regulations. Consult a regulatory specialist to determine appropriate state or local reporting requirements, for assistance in waste characterization and/or hazardous waste disposal and other requirements listed in pertinent environmental permits. Note: Chemical additions to, processing of, or otherwise altering this material may make this waste management information incomplete, inaccurate, or otherwise inappropriate. Furthermore, state and local waste disposal requirements may be more restrictive or otherwise different from federal laws and regulations.

### **SECTION 14: TRANSPORT INFORMATION**

US Department of Transportation (DOT): not regulated

International Maritime Dangerous Goods Code (IMDG): not regulated

### **SECTION 15: REGULATORY INFORMATION**

### **Chemical Inventory Status**

US. Toxic Substances Control Act	TSCA	The components of this product are all on the Active TSCA Inventory.
Canadian Domestic Substances List (DSL)	DSL	All components of this product are on the Canadian DSL
China. Inventory of Existing Chemical Substances in China (IECSC)	IECSC (CN)	All components of this product are listed or exempted
Japan. ENCS - Existing and New Chemical Substances Inventory	ENCS (JP)	Not all components of this product are listed or exempted

Version 1.4

Issued on: 05/26/2023

Page 15/18

Page: 15 / 18

Product code: FP20936-P



# SAR-GEL® Blue



Japan. ISHL - Inventory of Chemical Substances	ISHL (JP)	Not all components of this product are listed or exempted
Korea. Korean Existing Chemicals Inventory (KECI)	KECI (KR)	Not all components of this product are listed or exempted
Philippines Inventory of Chemicals and Chemical Substances (PICCS)	PICCS (PH)	All components of this product are listed or exempted
Australian Inventory of Industrial Chemicals	AU AIICL	All components of this product are listed or exempted
Taiwan Chemical Substance Inventory (TCSI)	TCSI	All components of this product are listed or exempted

### **United States - Federal Regulations**

### SARA Title III - Section 302 Extremely Hazardous Chemicals:

The components in this product are either not SARA Section 302 regulated or regulated but present in negligible concentrations.

### SARA Title III - Section 311/312 Hazard Categories:

Acute Health Hazard

### SARA Title III - Section 313 Toxic Chemicals:

This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

# Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) - Reportable Quantity (RQ):

The components in this product are either not CERCLA regulated, regulated but present in negligible concentrations, or regulated with no assigned reportable quantity.

### **United States - State Regulations**

### California Prop. 65

WARNING! This product contains a chemical known to the State of California to cause cancer.

Chemical name Quartz (SiO2)	<u>CAS-No.</u> 14808-60-7
Formaldehyde	50-00-0
Oxirane	75-21-8



# **SAR-GEL® Blue**

**SARTOMER®** 

1,4-Dioxane 123-91-1

### California Prop. 65

WARNING: This product contains a chemical known to the State of California to cause birth defects or other reproductive harm.

 Chemical name
 CAS-No.

 Oxirane
 75-21-8

### **SECTION 16: OTHER INFORMATION**

### Full text of H-Statements referred to under sections 2 and 3.

H301 Toxic if swallowed.

H311 Toxic in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H330 Fatal if inhaled.

H335 May cause respiratory irritation.

H341 Suspected of causing genetic defects.

H350 May cause cancer.

### Latest Revision(s):

 Reference number:
 200018000

 Date of Revision:
 05/26/2023

 Date Printed:
 05/27/2023

### SAR-GEL® is a registered trademark of Arkema Inc.

All information contained herein is believed to be accurate as of the date of publication, is provided "as-is" and is subject to change without notice. This is not a warranty, an agreement, or substitute for expert or professional advice. Arkema Inc. ("Company") expressly disclaims and assumes no liability for the use of the products or reliance on this information. It is the sole responsibility of the user to determine the suitability of any products for user's application(s). NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE OR ANY OTHER WARRANTY, EXPRESS OR IMPLIED (INCLUDING SUITABILITY FOR USE IN ANY MEDICAL DEVICE OR MEDICAL APPLICATION), IS MADE CONCERNING THE PRODUCTS OR THE INFORMATION PROVIDED HEREIN. The information provided relates only to the specific products designated herein and may not be valid where such products are used in combination with other materials or in any process. The performance of the product, its shelf life, and application characteristics depends on many variables, and changes in these variables can impact product performance. You are responsible to test the suitability of any product in advance for any intended use or application and before commercialization. Nothing herein shall be construed as a license for the use of any product in a manner that might infringe any patent and it should not be construed as an inducement to infringe any patent. Please carefully review the Safety Data Sheet for the product.

The Company adheres to a strict policy that applies to the use of any of its products in medical device applications. This policy can be found at https://www.arkema.com/global/en/social-responsibility/innovation-and-sustainable-solutions/responsible-product-management/medical-device-policy/ which is incorporated herein by reference and made a part hereof. Except as expressly authorized, the Company (i) has designated specific medical grade compositions for products used in medical device applications and Company products not so designated are not authorized for use in medical device applications and (ii) strictly prohibits the use of any of its products in medical device applications that are implanted in the body or in contact with bodily fluids or tissues for greater than 30 days. The Company does not design, manufacture and/or directly sell any medical devices. The Company does not



# **SAR-GEL® Blue**



co-design, or offer assistance to any purchaser of its products, in their design, manufacture and/or sale of products for medical devices. It is the sole responsibility of the manufacturer of medical devices to determine the suitability of all raw material, products and components, including any medical grade products, in order to ensure that the medical device is safe for end-use and complies with all applicable legal and regulatory requirements and to conduct all necessary tests and inspections.